PE TITLE: Conventional Munitions

PE NUMBER: 0602602F

	RDT&E BUDGET ITEM	JUSTI	FICATI	ON SH	EET (R	-2 Exhi	bit)		DATE	Februar	y 2003
	PE NUMBER AND TITLE  2 - Applied Research  0602602F Conventional Munitions										
	COST (\$ in Thousands)	FY 2002 Actual	FY 2003 Estimate	FY 2004 Estimate	FY 2005 Estimate	FY 2006 Estimate	FY 2007 Estimate	FY 2008 Estimate	FY 2009 Estimate	Cost to Complete	Total Cost
	Total Program Element (PE) Cost	48,051	58,802	46,455	50,351	51,310	55,768	53,718	54,991	Continuing	TBD
2068	Advanced Guidance Technology	14,534	17,175	16,731	17,305	17,633	18,199	18,651	19,094	Continuing	TBD
2502	Ordnance Technology	33,517	41,627	29,724	33,046	33,677	37,569	35,067	35,897	Continuing	TBD
	Quantity of RDT&E Articles	0	0	0	0	0	0	0	0	0	0
(U)	detection and identification algorithms, and simulations integration, and weapon lethality and Destruction (WMD).  B. Budget Activity Justification  This program is in Budget Activity 2, Applied R	vulnerabilit	y assessmen	nts. Note: 1	In FY 2003,	, Congress a	added \$1.1 i	million for	the Defense	e Against W	eapons of Mass
	technologies.	esearch, sin	ce ii develo	ps and dete	rinnes the	leciilicai le	asibility and	a miniary u	unity of evo	orutionary an	id revolutionary
( <b>U</b> )	C. Program Change Summary (\$ in Thousand	<u>ls</u> )			Ī	FY 2002	FY 2	2003	FY 2004		Total Cost
(U)	Previous President's Budget				4	49,029	60,		52,709		Total Cost
(U)	Appropriated Value					49,270	61,	443	,		
(U)	Adjustments to Appropriated Value										
	a. Congressional/General Reductions					-241	-2,2	283			
	b. Small Business Innovative Research					-743					
	c. Omnibus or Other Above Threshold Reprogra	m					-(	358			
	d. Below Threshold Reprogram										
				Page 1 of 1	3 Pages				Ex	hibit R-2 (F	PE 0602602F)

	RDT&E BUDGET ITEM JUSTIFICAT	DATE <b>Febr</b> u	uary 2003		
	GET ACTIVITY - Applied Research	PE NUMBER AND TITLE 0602602F Conven	tional Munitions		
(U)	C. Program Change Summary (\$ in Thousands) Continued	FY 2002	FY 2003	FY 2004	Total Cost
(U)	e. Rescissions Adjustments to Budget Years Since FY 2003 PBR	-235		-6,254	
(U)	Current Budget Submit/FY 2004 PBR	48,051	58,802	46,455	TBD
(U)	Significant Program Changes:				
	Not Applicable.				
		Page 2 of 13 Pages		Exhibit R-	2 (PE 0602602F)

	RDT	&E BUDGET ITEM	JUSTIF	ICATIO	ON SHE	ET (R-	2A Exh	ibit)		DATE	Februar	y 2003
	SET ACTIVITY  · Applied Research	arch			=	O2602F		ional Mu	unitions			PROJECT <b>2068</b>
	COST (\$ i	in Thousands)	FY 2002 Actual	FY 2003 Estimate	FY 2004 Estimate	FY 2005 Estimate	FY 2006 Estimate	FY 2007 Estimate	FY 2008 Estimate	FY 2009 Estimate	Cost to Complete	Total Cost
2068	Advanced Guidar	nce Technology	14,534	17,175	16,731	17,305	17,633	18,199	18,651	19,094	Continuing	
(U)	project includes de simulations. Project	<b>ption</b> igates, develops, and evaluates velopment of advanced guidar ct payoffs include: adverse-we oved reliability and affordabili	nce includir eather and a	ng terminal utonomous	seekers, nav precision g	vigation and uidance cap	l control, si pability; inc	gnal and pro	ocessing alg ber of kills	gorithms, aı	nd guidance	and control
(U) (U) (U)	FY 2002 (\$ in Thor \$0 \$5,133	usands)  Accomplishments/Planned Investigated and developes signal pre-processing, targenhanced precision, advergeneration seekers that wit tools for the development development and ground to Defense Advance Researcing imaging for application in	d advanced get recognitions se weather, Il increase a of laser rad est of a scal h Project A	on, spatial and autono a weapon's lar algorithm nner-less lar gency, inve	target chara mous seeke kill probabi ns and creat ser radar sy	ecteristics, overs for air-delity, reduce ted a databastem with s	ptics, and belivered mu pilot workl se for both imultaneou	eam scanni nitions. Th oad, and en measured a s, multi-wa	ng and shap ese technol hance sortion nd synthetivelength ca	oing techno ogies enable e effectiven c laser rada pabilities.	logy for low led the devel less. Develor information	ver cost, lopment of next oped software n. Initiated on with the
(U)	Investigated and developed advanced navigation and control technologies, including nonlinear controllers, biomimetic guidance, clutter rejection modules, detection and segmentation modules, and micro-electromechanical gyros for air-delivered munitions. These technologies allowed a more efficient flight path to the target, increased stand off ranges, and enhanced strike aircraft effectiveness and survivability. Designed and fabricated a reliable, accurate, miniaturized, and low-cost anti-jam weapon guidance system capable of operating in highly dynamic flight environments in the presence of Global Positioning System (GPS) jamming systems. Completed applied research of a miniature navigation device, based on micro-electromechanical system technology, which couples the GPS signal with an inertial navigation system to provide ultra-high GPS jamming resistance and accuracy without the need for an anti-jam antenna.											
(U)	\$2,484	improved seeker performa target while also decreasing	nce to allow	v greater ai	r-delivered	weapon aut	onomy. Th	ese seekers	deny an en	emy the ab	ility to hide	or camouflage a
Р	roject 2068				Page 3 of 1	13 Pages				Exh	ibit R-2A (F	PE 0602602F)

	RDT	&E BUDGET ITEM JUSTIFICATION SHEET (R-2A Exhibit)	DATE <b>February 2003</b>
	GET ACTIVITY - Applied Rese	PE NUMBER AND TITLE Pearch  0602602F Conventional Mun	PROJECT 2068
(U)	A. Mission Descr	ription Continued	
(U)	FY 2002 (\$ in The	current and future, single-mode, ultra-spectral, and multi-mode seeker concepts. Investigated and resolution sensors, which emulate biological or human characteristics, into advanced seeker compin-house activities including algorithms and simulation development and validation, statistical and data, and independent evaluation of target classification software, pattern recognition concepts, a design of autonomous munitions.	ponents for moving target scenarios. Continued nalysis of fixed, mobile targets and background
(U)	\$2,635 \$14,534	Investigated and developed detailed six-degree-of-freedom and hardware-in-the-loop simulations target recognition, and biomimetic processing. Simulations also included trajectory optimization to analyze guided munitions and their components that enabled requirement studies, design iterat reduction. These simulations shortened development time, reduced development cost, and provid analysis efforts and multi-sensor modeling to improve target signature prediction models, expedi expense for state-of-the-art seekers. Developed hardware-in-the-loop, laser radar, and scene proj combined optical signals to produce a complex laser radar return signal capable of providing real components. Developed six-degree-of-freedom simulations to provide detailed performance estitechnology for guided weapon systems. Developed modular system level analysis tools to provid inventory, and conceptualized munitions to identify high payoff technologies and weapon attributional	a algorithm and polarization sensing and models tion and evaluation, and experiment risk ded more effective munitions. Continued te development, and reduce the acquisition cycle jector instrumentation. The instrumentation l-time scene generation capabilities to test seeker mates of guidance-related component de comprehensive comparisons amongst
(U)	FY 2003 (\$ in The		
(U) (U) (U)	\$0 \$6,779 \$4,921	Accomplishments/Planned Program  Investigate and develop advanced guidance component technologies for adverse weather, and aut such as laser sources, detectors and detector arrays, receiver electronics, signal pre-processing, ta optics, and low-cost beam scanning and shaping technologies. These technologies will enable th will increase a weapon's kill probability, reduce pilot workload, and enhance sortic effectiveness. parallel processing target acquisition algorithms. Evaluate laser radar components to quantify op identification, aim-point selection, and weather penetration effectiveness. Develop a low-cost, sy advanced guidance applications.  Investigate and develop advanced navigation and control technologies for air-delivered munition.	riget recognition, spatial target characteristics, e development of next generation seekers that  Demonstrate in-house, high-throughput, perational range, target detection and synthetic aperture radar seeker to assess future
(0)	φ <del>4</del> ,921	biomimetic guidance, clutter rejection modules, detection and segmentation modules, and micro-	÷
F	Project 2068	Page 4 of 13 Pages	Exhibit R-2A (PE 0602602F)

	RDT	&E BUDGET ITEM JUSTIFIC	ATION SHEET (R-2A Exhibit)	DATE February 2003
•	GET ACTIVITY - Applied Rese	earch	PE NUMBER AND TITLE  0602602F Conventional Munitio	PROJECT 2068
(U)	A. Mission Descr	iption Continued		
(U)	FY 2003 (\$ in Th	Complete laboratory field testing of a relia be capable of operating in highly dynamic design technologies for tactical munitions levels of integration of guidance, navigation	the target, increase stand off ranges, and enhance strike aircrable, accurate, miniaturized, and low-cost anti-jam weapon of flight environments in the presence of Global Positioning of flight control systems. Develop novel ways to enhance we con, control, and estimation algorithms. Investigate the neuroscriminate rejection to defeat camouflage, concealment, and	guidance system. This guidance system will System jamming devices. Develop new apon system effectiveness through higher o-physiology of insects for applications to
(U)	\$2,112	Investigate and develop advanced optical a seeker performance to allow greater air-de target, while also decreasing the pilot's wo investigating and transitioning biomimetic	and digital processors and target detection, classification, are livered weapon autonomy. These seekers will deny an energial the principles of variable resolution sensors, which emulate bia arget scenarios. Investigate algorithms to perform flight transport of the principles of variable resolution sensors, which emulate bia arget scenarios. Investigate algorithms to perform flight transport of the principles of variable resolution sensors, which emulate bias arget scenarios.	my the ability to hide or camouflage a es in guidance and control. Continue ological or human characteristics, into
(U)	\$3,363	recognition, and biomimetic processing. The analyze guided munitions and their composition. These simulations will shorten efforts and multi-sensor modeling to impressor state-of-the-art seekers. Investigate the two-dimensional laser arrays for laser rada using six-degree-of-freedom simulations, and their compositions and their compositions.	e-of-freedom and hardware-in-the-loop simulations including technologies also include trajectory optimization algorithm onents that will enable requirement studies, design iteration development time, reduce development cost, and provide nove target signature prediction models, expedite development elong-term technology and strategy for developing an advance scene projectors. Provide detailed performance estimates for guided weapon systems. Continue to develop modular, tory, planned, and conceptual munitions to identify high page	, and polarization sensing and models to and evaluation, and experiment risk more effective munitions. Continue analysis ent, and reduce the acquisition cycle expense model laser radar scene projector. Develop s of guidance-related component technology, system-level, analysis tools to provide
(U)	\$17,175	Total		
(U) (U) (U)	FY 2004 (\$ in Th \$0 \$6,471	Accomplishments/Planned Program Investigate and develop advanced guidanc such as laser sources, detectors and detector	e component technologies for adverse weather, and autonor arrays, receiver electronics, signal pre-processing, target apping technologies. These technologies will enable the dev	recognition, spatial target characteristics,
F	Project 2068		Page 5 of 13 Pages	Exhibit R-2A (PE 0602602F)

R	RDT&E BUDGET ITEM JUSTIFICATION SHEET (R-2A Exhibit)					
BUDGET ACTIVITY  02 - Applied R	Research	PE NUMBER AND TITLE 0602602F Conventional Muni	PROJECT itions 2068			
(U) A. Mission I	Description Continued					
(U) <u>FY 2004 (\$ i</u>	seeker with the capability to perf electromagnetic wave energy to	pability, reduce the pilot's workload, and enhance sortic effectives orm 'single-shot' imaging technology. Begin design of a dual-momprove adverse weather performance with clearer resolution. D	ode seeker that uses both long and short-range			
(U) \$4,787	controllers, biomimetic guidance technologies will allow a more en Investigate concepts for penetrate using the results of basic research	d navigation and control technologies for air-delivered munitions, clutter rejection modules, detection and segmentation modules, fficient flight path to target, increase stand off ranges, and enhance or guidance below the surface. Develop new design technologies in. Develop novel ways to enhance weapon system effectiveness destimation algorithms. Continue to investigate the neuro-physical control of the con	, and micro-electromechanical gyros. These ce strike aircraft effectiveness and survivability. s for tactical munitions flight control systems through higher levels of integration of			
(U) \$1,747	Investigate and develop advanced seeker performance to allow great while also decreasing the pilot's values seekers for moving target scenarion emulate biological or human cha	d optical and digital processors and target detection, classification at air-delivered weapon autonomy. These seekers will deny an workload. Develop highly innovative concepts and approaches in os. Continue investigating and transitioning biomimetic principle racteristics, into advanced seeker components for moving target acces human error design effects. Investigate polarization measured	n, and identification algorithms for improved enemy the ability to hide or camouflage a target n guidance and control for use in advanced les of variable resolution sensors, which scenarios. Investigate algorithms to perform			
(U) \$3,726	Investigate and develop detailed recognition, and biomimetic procanalyze guided munitions and the reduction. These simulations will analysis efforts and multi-sensor expense for state-of-the-art seeks scene projector capability. Deve estimates of guidance-related corpayoff technologies and weapon among inventory, planned, and c	six-degree-of-freedom and hardware-in-the-loop simulations includes in the sessing. Technologies also include trajectory optimization algorited components that will enable requirement studies, design iterated shorten development time, reduce development costs, and proving modeling to improve target signature prediction models, expeditors. Investigate the long-term technology and strategy for development technology, using six-degree-of-freedom simulations, for attributes, continue to develop modular, system-level, analysis to	ithm and polarization sensing and models to tion and evaluation, and experiment risk vide more effective munitions. Continue te development, and reduce the acquisition cycle oping an advanced laser ranging and detection scene projectors. Provide detailed performance or guided weapon systems. To identify high			
(U) \$16,731	Total					
Project 2068		Page 6 of 13 Pages	Exhibit R-2A (PE 0602602F)			

# DATE RDT&E BUDGET ITEM JUSTIFICATION SHEET (R-2A Exhibit) February 2003 PE NUMBER AND TITLE **BUDGET ACTIVITY** PROJECT 02 - Applied Research 0602602F Conventional Munitions 2068 (U) B. Project Change Summary Not Applicable. (U) C. Other Program Funding Summary (\$ in Thousands) (U) Related Activities: (U) PE 0603601F, Conventional Weapons Technology. (U) This project has been coordinated through the Reliance process to harmonize efforts and eliminate duplication. (U) D. Acquisition Strategy Not Applicable. (U) E. Schedule Profile (U) Not Applicable. Project 2068 Page 7 of 13 Pages Exhibit R-2A (PE 0602602F)

	RDT8	RE BUDGET ITEM	JUSTIF	ICATIO	N SHE	ET (R-:	2A Exh	ibit)		DATE	Februar	y 2003
BUDGET ACTIVITY 02 - Applied Research				PE NUMBER AND TITLE  0602602F Conventional Munitions								PROJECT <b>2502</b>
	COST (\$ ir	n Thousands)	FY 2002 Actual	FY 2003 Estimate	FY 2004 Estimate	FY 2005 Estimate	FY 2006 Estimate	FY 2007 Estimate	FY 2008 Estimate	FY 2009 Estimate	Cost to Complete	Total Cost
2502	Ordnance Techno	logy	33,517	41,627	29,724	33,046	33,677	37,569	35,067	35,897	Continuing	
(U)	A. Mission Description  This project investigates, develops, and evaluates conventional ordnance technologies to establish technical feasibility and military utility. Included in this project are technologies for advanced conventional weapon dispensers, submunitions, safe and arm devices, fuzes, explosives, warheads, and weapon airframe and carriage technology. The project also assesses the lethality and effectiveness of current and planned conventional weapons technology programs and assesses target vulnerability. The payoffs include: improved storage capability and transportation safety of fully assembled weapons; improved warhead and fuze effectiveness; improved submunition dispensing; low-cost airframe/subsystem components and structures; and reduced aerospace vehicle/weapon's drag.											
(U) (U) (U)	FY 2002 (\$ in Thou \$0 \$6,006	Accomplishments/Planned Investigated and develope target vulnerability. These maximum lethality against metal cutting, detonation v and biological neutralizing facilities, including weapo vulnerability codes for gro	d high fidel e analysis to t a given tan waves, shea g agents fro- ons of mass	pools will red get class. It r banding, a m warheads destruction	luce air-deli Developed in and phase tr s. Upgraded (WMD). F	ivered muninew hydro-cansitions. It and refine	tions develonde to imp Developed and basic model	opment cos rove predic high fideli dels describ	ts by provious tive warheas ty model the ing fragment	ding weapond performant predicts nation effe	ns that can g nce capabili the dispersion cts against v	enerate ties by adding on of chemical arious target
(U) (U)	\$3,155 \$6,258	Investigated and develope high energy composite expair-delivered munitions. The micro-scale and nano-scale Energy labs, completed efforeveloped insensitive exphighly energetic material vertical intermolecular energetic mapplications. Initiated den Investigated and developed	d more efficiency of the deficiency of the desired and of the forts to device form with twice that the desired to make reactive	cient, afford d nano-scal ologies enal exidizer part elop a new sulations for the power de neasure mix metal explo	lable explose e metal fue ble safer, le cicles to cre- class of ma r use in pen- ensity of co ing and fab- ssive resear	Is that provi ss expensiv ate new, int terials for u etrator warh nventional orication tec ch to invest	ide both hig e explosive ermolecular se in fragme leads capab explosives, hniques, ma igate cost-e	her blast per fills for inverse energetic re ents, shaped le of Mach but exhibiting terial proper ffective me	erformance ventory and materials. I d charges, a 4 impact ve ng insensit erties, and p thods to im	and lower if future weak in collaborated explosive elocities. In ive munition performance prove curre	gnition sens pons. Conti- tion with the vely formed nitiated deve- n attributes. e augmentatent explosive	itivity for nued developing e Department of projectiles. lopment of a Evaluated ions for specific es.
F	Project 2502				Page 8 of 1	3 Pages				Exh	ibit R-2A (F	PE 0602602F)

	RD <sup>*</sup>	SHEET (R-2A Exhibit)	February 2003	
	ACTIVITY  pplied Res	earch	PE NUMBER AND TITLE  0602602F Conventional Munitions	PROJECT <b>2502</b>
(U) <u>A.</u>	Mission Desc	ription Continued		
(U) <u>FY</u>	Y 2002 (\$ in T)	capacitors, power sources, and safe-arming concepts. burst-height at, above, or below the surface to increase costs and system supportability requirements. Develop field-shock testing of fuze components. Initiated critic discrimination against foliage, rain, chaff, electronic contents.	ivated and modular firing systems for advanced single p The advanced fuze techniques will enhance lethality throwed weapon safety and tactical performance while simultanced test methodology to analyze hardened-influence-fuze al component design and fabrication of the next generation untermeasures, and electromagnetic interference. Developed modiums	ough precise selection of eously decreasing procurement e components, and bench-level an ion burst-height fuze with
(U) \$8	3,912	weapon lethality. Examples of these technologies included technologies will increase weapon system effectiveness effectiveness. Developed advanced munition dispense advanced carriage technology. Investigated alternate to	logies for ordnance packages for advanced air-delivered de high energy explosives, mass focus fragmentation, as by contributing to increased weapon load-out on strike electronics and software, and investigated reduction of echnologies, such as microbots and nano-encapsulation, I weapons. Continued investigating technologies for de	nd multi-sensor fuzing. These aircraft and enhanced sortie platform integration cost for the to disrupt, deny, destroy, or
(U) \$9.	,186	Investigated and developed advanced warhead kill med and application of reactive metals. The investigation is adjustable yield ordnance packages, and distributed musupports the development of smaller munitions with ef strike aircraft load-out and sortie effectiveness. Design enhanced lethality materials and miniaturization technological agent defeat warhead design to determine its	hanisms, such as the adaptable warhead, directional concluded characterization of the dynamic response of metalti-point fire set to enhance air-delivered munition letharectiveness similar to current inventory weapons and wired, fabricated, and evaluated initiation-based, adaptable plogies for the advanced warhead kill mechanism. Fabricability to deny an adversary access to storage and produnts to multi-mode warheads using heavy metal liners to munitions with chemical and biological containers.	als and geologic materials, lity. This enhanced lethality the a corresponding increase in the and multi-mode warheads using cated and tested a chemical and action facilities containing
(U) \$3	3,517	Total	manaono mai enemicia una ototogicai containers.	
Proje	ect 2502	Page	9 of 13 Pages	Exhibit R-2A (PE 0602602F)

	RDT	&E BUDGET ITEM JUSTIFICATION SHEET (R-2A Exhibi	t) Pate February 2003
•	GET ACTIVITY - <b>Applied Res</b> e	pe number and title earch 0602602F Convention	PROJECT <b>al Munitions 2502</b>
(U)	A. Mission Descr	ription Continued	
(U)	FY 2003 (\$ in Th	ousands)	
(U) (U)	\$0 \$6,507	Accomplishments/Planned Program Investigate and develop high fidelity analytical tools such as computational mechanics target vulnerability. These analysis tools will reduce air-delivered munitions developm lethality against a given target class. Develop new hydro-code to improve predictive w detonation waves, shear banding, and phase transitions. Upgrade and refine basic mode facilities, including weapons of mass destruction (WMD). Perform phenomenology test vulnerability codes for ground-fixed WMD targets. Apply campaign analysis tools to compare the compared to the	ent costs providing weapons that can generate maximum arhead performance capabilities by adding metal cutting, els describing fragmentation effects against various target ts to provide data for the development of lethality and
(U)	\$5,206	identify high payoff technologies.  Investigate and develop more efficient, affordable explosives including inert dense met energy composite explosives, and nano-scale metal fuels that provide both higher blast air-delivered munitions. These technologies will enable safer, less expensive explosive micro-scale and nano-scale fuel and oxidizer particles to create new, advanced, intermonew class of materials for use in fragments, shaped charges, and explosively formed promaterial that has twice the power density of conventional explosives, while exhibiting it	performance and lower ignition sensitivity for fills for inventory and future weapons. Utilize lecular energetic materials. Complete efforts to develop a ojectiles. Continue development of a highly energetic
(U)	\$7,116	capable of surviving Mach 4 impacts that still functions as desired when initiated by the explosives and investigate cost-effective methods to improve current explosives. Investigate and develop advanced fuze technologies for air-delivered munitions, such a shock-hardened fuzes, low energy detonators, light activated and modular firing system capacitors, power sources, and safe-arming concepts. The advanced fuze technologies burst-height at, above, or below the surface to increase weapon safety and tactical perfectors and system supportability requirements. Develop a high resolution, electromagnets	e fuze. Continue research of dense reactive metal s commercially available micro-mechanical systems, s for advanced single-point initiation, switches, will enhance lethality through precise selection of rmance while simultaneously decreasing procurement
(U)	\$9,976	calculates warhead burst direction and detonation time. Determine the benefits of deveras micro-electromechanical system gyroscopes. Investigate technologies that can compare hardened mediums.  Investigate and develop control and carriage technologies for ordnance packages for adweapon lethality. Examples of these technologies include high-energy explosives, mas technologies will increase weapon systems effectiveness by contributing to increased we effectiveness. Investigate and compare the subsystem technologies necessary to develop	loping a high-speed, hard target fuze using sensors such nunicate battle damage assessment information through wanced air-delivered munitions in order to enhance s-focus fragmentation, and multi-sensor fuzing. These eapon load-out on strike aircraft and enhanced sortie
l F	Project 2502	Page 10 of 13 Pages	Exhibit R-2A (PE 0602602F)

	RDT8	E BUDGET ITEM JUSTIFICATION	N SHEET (R-2A Exhibit)	DATE February 2003
	GET ACTIVITY - Applied Resea		PE NUMBER AND TITLE  0602602F Conventional Munitions	PROJECT <b>2502</b>
(U)	A. Mission Descrip	ion Continued		
(U)	FY 2003 (\$ in Thou			
(U) (U)	\$12,822 \$41,627	and biological weapons. Investigate technologies the time-of-arrival guided munitions on target. Investigate and develop advanced warhead kill med application of reactive metals. The investigation in yield ordnance packages, and distributed multi-point development of smaller munitions with effectiveness load-out and sortic effectiveness. Continue to evaluand miniaturization technologies for the advanced very damage with high near-field and minimum far-field lethality. Complete in-house experiments to charact containers. Begin an effort to improve the attribute	s and nano-encapsulation, to disrupt, deny, destroy, or data can defeat hard and deeply buried targets by simultant thanisms, such as the adaptable warhead, directional concludes characterization of the dynamic response of metal trice set to enhance air-delivered munition lethality. The set similar to current inventory weapons and with a correlate initiation-based, adaptable, and multi-mode warhead warhead kill mechanism. Begin evaluation of an ordnamical lethality. Complete assessment of multi-mode warhead terize the interaction of munitions with chemical and big sof penetrating munitions by focusing on improving warnile penetrating hardened material, and decreasing case the of target.	atrol and fragmenting ordnance, and als and geologic materials, adjustable his enhanced lethality supports the sponding increase in strike aircraft ds using enhanced lethality materials ce package designed for low collateral ds using heavy metal liners to enhance ological weapon and storage arhead case survivability, control of
(U)	FY 2004 (\$ in Thou			
(U) (U)	\$0 \$6,321	target vulnerability. These analysis tools will reduce maximum lethality against a given target class. Up facilities, including weapons of mass destruction. A identify high payoff technologies. Complete developments	s such as computational mechanics models for predicting the air-delivered munitions development costs and providing grade and refine basic models describing fragmentation apply campaign analysis tools to compare inventory, but opposed to improve the engineering level predictive method we methodologies for predicting the penetration perform	le weapons that can generate effects against various target dgeted, and conceptual munitions to ds for blast effects, combined effects
(U)	\$3,028	Investigate and develop more efficient, affordable e energy composite explosives, and nano-scale metal	explosives including inert dense metal additives, tungster fuels that provide both higher blast performance and love hable safer, less expensive explosive fills for inventory a	wer ignition sensitivity for
P	Project 2502	Paj	ge 11 of 13 Pages	Exhibit R-2A (PE 0602602F)

	RDT8	E BUDGET ITEM JUSTIFICATION SHEET (R-2A Exhibit)	DATE February 2003
	GET ACTIVITY - Applied Resea	PE NUMBER AND TITLE	PROJECT
(U)	A. Mission Descrip	tion Continued	
(U)	FY 2004 (\$ in Thou	development of a highly energetic material that has twice the power density of conventional exp munition attributes. Continue developing an explosive capable of surviving Mach 4 impacts that fuze. Develop characterization and evaluation methodologies to test the munition application per developed in other laboratories. Increase the energy output while maintaining the producible ca	at still functions as desired when initiated by the erformance of high energy density materials
(U)	\$6,592	using advanced energetic materials, plasticizers techniques, and formulation techniques. Investigate and develop advanced fuze technologies for air-delivered munitions, such as comme shock-hardened fuzes, low energy detonators, light activated and modular firing systems for advancations, power sources, and safe-arming components. These advanced fuze technologies will burst-height at, above, or below the surface to increase weapon safety and tactical performance costs and system supportability requirements. Develop a high resolution, electromagnetic count calculates warhead burst direction and detonation time. Investigate technologies that can comm through hardened mediums. Develop miniaturized fuze to effectively control the release of antimass destruction.	vanced single-point initiation, switches, Il enhance lethality through precise selection of while simultaneously decreasing procurement termeasure-hardened, active imaging fuze that nunicate battle damage assessment information
(U)	\$6,267	Investigate and develop control and carriage technologies for ordnance packages for advanced a weapon lethality. Examples of these technologies include high energy explosives, mass-focus fit technologies will increase weapon systems effectiveness by contributing to increased weapon logeffectiveness. Continue investigating the subsystem technologies necessary to develop an optimater targets. Investigate technologies that can defeat hard and deeply buried targets by simultaneous guided munitions on target. Perform concept trade studies to determine the technologies necess off ranges.	Gragmentation, and multi-sensor fuzing. These bad-out on strike aircraft and enhanced sortie num kill missile against low-observable, aerial sly placing multiple, precise, time-of-arrival
(U)	\$7,516	Investigate and develop advanced warhead kill mechanisms, such as adaptable warhead, directic application of reactive metals. The investigation includes characterization of the dynamic responsible ordnance packages, and distributed multi-point fire set to enhance air-delivered munition I development of smaller munitions with effectiveness similar to current inventory weapons and vand sortic effectiveness. Continue to evaluate initiation-based, adaptable, and multi-mode warh miniaturization technologies for the advanced warhead kill mechanism. Continue evaluation of damage with high near-field and minimum far-field lethality. Develop the design constraints to attack mobile ground targets. Begin evaluating tungsten to be used for high-speed, penetrating-	onse of metals and geologic materials, adjustable lethality. This enhanced lethality supports the with a corresponding increase in aircraft load-out leads using enhanced lethality materials and an ordnance package designed for low collateral provide adaptable warhead technologies to better
F	Project 2502	Page 12 of 13 Pages	Exhibit R-2A (PE 0602602F)

# RDT&E BUDGET ITEM JUSTIFICATION SHEET (R-2A Exhibit) PE NUMBER AND TITLE PROJECT 02 - Applied Research DATE February 2003 PE NUMBER AND TITLE PROJECT 0602602F Conventional Munitions 2502

#### (U) A. Mission Description Continued

(U) FY 2004 (\$ in Thousands) Continued

improve the attributes of penetrating munitions by focusing on improving warhead case survivability, control of depth of burial, trajectory control methodologies while penetrating hardened material, and decreasing case thickness to allow a greater amount of energetic material to be carried to the required depth of target. Complete an effort to develop experimental data analysis techniques to characterize the dynamic response of metals used for warhead cases. Investigate effectiveness of large blast explosive mechanisms.

(U) \$29.724 Total

#### (U) B. Project Change Summary

Not Applicable.

#### (U) C. Other Program Funding Summary (\$ in Thousands)

- (U) Related Activities:
- (U) PE 0603601F, Conventional Weapons Technology.
- (U) This project has been coordinated through the Reliance process to harmonize efforts and eliminate duplication.

#### (U) D. Acquisition Strategy

Not Applicable.

#### (U) E. Schedule Profile

(U) Not Applicable.

Project 2502 Page 13 of 13 Pages Exhibit R-2A (PE 0602602F)